



# GESRA LABS INDIA PVT. LTD.

#21, 1<sup>st</sup> Floor, G.K Industrial Estate Main Road, Alapakkam, Porur, Chennai - 600 116.  
044 24764677 • 044 24764699 • 044 43114677 • +91 74012 90970/71/72/73  
admin@gesralabs.com • enquiry@gesralabs.com • quality@gesralabs.com

ACCREDITED BY NABL AS PER ISO/IEC 17025 : 2005



## Test Report

Page 1 of 1

REPORT NO: 21008004701

Submitted Sample

**Issued To,**  
Kabilai Farm Fresh Milk,  
No: 8A, Ambal Nagar Main Road,  
Ranga Nagar, Keelkattalai,  
Chennai-600117.

Date of Report : 10.08.2021  
Received on : 07.08.2021  
Commenced on : 07.08.2021  
Completed on : 10.08.2021

Sample Name : Fresh Cow Milk  
Sample Quantity : 500 ml X 1 No  
Sample Condition when Received : Fit for Analysis

S.No	Parameters	Unit	Results	Test Method
<b>I</b>	<b>Nutritional Value:</b>			
1	Fat	g/100g	3.59	FSSAI Lab Manual 1,2016
2	Protein	g/100g	3.91	IS 1479 Part 2 1961 RA 2018
3	Solids Not Fat SNF	g/100g	8.65	IS 1479 Part 2 1961 RA 2018
4	Acidity as Lactic acid	g/100g	0.14	FSSAI Lab Manual 1,2016
5	Test for Starch	mg/100g	Absent	FSSAI Lab Manual 1,2016
6	Urea	mg/100g	Absent	FSSAI Lab Manual 1,2016
7	Neutralizers	mg/100g	Absent	FSSAI Lab Manual 1,2016
8	Test for Detergent	mg/100g	Absent	FSSAI Lab Manual 1,2016
9	Glucose Dextrose	mg/100g	Absent	FSSAI Lab Manual 1,2016
10	Sodium Chloride	mg/100g	Absent	FSSAI Lab Manual 1,2016
11	Hydrogen Peroxide	mg/100g	Absent	FSSAI Lab Manual 1,2016
12	Formaldehyde	mg/100g	Absent	FSSAI Lab Manual 1,2016
13	Cellulose	mg/100g	Absent	FSSAI Lab Manual 1,2016
14	Rosalic acid	mg/100g	Absent	FSSAI Lab Manual 1,2016
15	Ammonium Sulfate	mg/100g	Absent	FSSAI Lab Manual 1,2016
16	Nitrate	mg/100g	Absent	FSSAI Lab Manual 1,2016
17	Cane Sugar	mg/100g	Absent	FSSAI Lab Manual 1,2016

>>>>> End of Report <<<<<

Verified by

Authorized Signatory

### Terms and Conditions

- The Test results relate only to the items tested.
- This test report shall not be reproduced anywhere except in full and in the same format without the written approval of GLIPL.
- The tested items will not be retained for more than 15 days from the date of issue of Test Report unless otherwise agreed with the Customer or as required by the applicable regulations.
- The Laboratory's responsibility under this report is limited to proven will full negligence and will in no case be more than the invoiced amount.

N. GAYATHRI DEVI  
QUALITY MANAGER